

# Safety Data Sheet CASUL PROTECT 30

## according to Regulation (EC) No 1907/2006

Creation date: 08.05.2017 Revision date: 20.11.2019

Revision No: 2,0 Print date: 20.11.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**CASUL PROTECT 30** 

#### Further trade names

Ca 6 [Al(OH) 6] 2 (SO 4) 3 x 26 H 2 O, Ettringite (aqueous suspension with organic polymer-based binders)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Coatings and paints, fillers, putties, thinners, building additive.

#### Uses advised against

Any non-intended use.

Street:

#### 1.3. Details of the supplier of the safety data sheet

Company name: REMONDIS Production GmbH

Geschäftsfeld CASUL Brunnenstraße 138

Place: D-44536 Lünen

Telephone: +49 (0) 2306-106-0 Telefax: +49 (0) 2306-106-228

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49(0)251/394868-69

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

**1.4. Emergency telephone number:** Poison Center Berlin - phone: +49 (0) 30-30686 700

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

## 2.2. Label elements

# Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

## 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

aqueous solution

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialumir	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)				
	234-448-5		01-2119589249-21			

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

## After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

## After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

## After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Toxic gases/vapours

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Wear suitable protective clothing. Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Wear suitable protective clothing. (See section 8.)

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

## Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

# 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)						
Worker , long-ter	m	inhalation	systemic	10 mg/m³			
Worker , acute		inhalation	systemic	10 mg/m³			
Worker , long-term		inhalation	local	10 mg/m³			
Consumer , long-term		inhalation	systemic	5 mg/m³			
Consumer, acute		inhalation	systemic	5 mg/m³			
Consumer , long-term		oral	systemic	15,2 mg/kg bw/day			
Consumer , acute		oral	systemic	114 mg/kg bw/day			

#### **PNEC values**

CAS No	Substance			
Environmental compartment Value				
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)			
Freshwater	Freshwater 0,0068 mg/l			
Marine water	0,00068 mg/l			
Micro-organisms	61,3 mg/l			

#### Additional advice on limit values

The biological and toxicological effects of dry CASUL are determined by the gypsum content. All previous tests, which allow comparability, show 100% matching results. In addition to the general dust limits, the OEL for calcium sulfate according to TRGS 900 is also included. However, CASUL ® comes in the delivery state as an aqueous suspension - for which there is no OEL.

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

#### Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

## Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Generation/formation of dust

Suitable respiratory protection apparatus: Particle filter device (DIN EN 143) - Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Use only respiratory protection equipment with CE-symbol including four digit test number.

## **Environmental exposure controls**

No special precautionary measures are necessary.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid,Suspension

Colour: white Odour: characteristic

Test method

pH-Value (at 20 °C): ~11 (0,62g/L)

Changes in the physical state

Melting point: <0 °C >=100 °C Initial boiling point and boiling range:

Sublimation point: not determined Softening point: not determined not determined Pour point: Flash point: not determined Not sustaining combustion Sustaining combustion:

**Explosive properties** 

none

Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: not determined

**Auto-ignition temperature** 

Gas: not determined

Decomposition temperature: >100 /850 °C

Oxidizing properties

Vapour pressure: not determined

Density: 1,4 g/cm3 OECD 109

Water solubility: 0,62 g/L

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

#### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

# 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Toxic gases/vapours

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)						
	oral	LD50	>2000 mg/kg	Rat.	ECHA Dossier		
	dermal	LD50	>2000 mg/kg	Rat.	ECHA Dossier		
	inhalation (4 h) aerosol	LC50	>3,26 mg/l	Rat.	ECHA Dossier		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-):

Reproductive toxicity: Method: OECD 422. Species: Rat. Exposure duration: 4 d.

Results: NOAEL 790 mg/Kg bw/day

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)					
	Acute fish toxicity	LC50	>83 mg/l	96 h	Brachydanio rerio (zebra-fish)	ECHA Dossier
	Acute algae toxicity	ErC50	4,8 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier
	Acute crustacea toxicity	EC50	6,8 mg/l	48 h	Daphnia magna	ECHA Dossier
	Acute bacteria toxicity	(>100 m	ıg/l)	3 h	Activated sludge	ECHA Dossier

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be

carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products;

inorganic wastes other than those mentioned in 16 03 03

List of Wastes Code - used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products;

inorganic wastes other than those mentioned in 16 03 03

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal

packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.

NO

Marine pollutant:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

no

## 14.6. Special precautions for user

Refer to section 6-8

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): not relevant

## National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

#### **SECTION 16: Other information**

#### Changes

Rev. 1.0; 08.05.2017 Initial release.

Rev. 2,0; 20.11.2019, Changes in chapter: 2-16.

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)