

# Safety Data Sheet CASUL WHITE

# according to Regulation (EC) No 1907/2006

Creation date: 08.05.2017 Revision date: 20.11.2019 Revision No: 2,0 Print date: 21.11.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

CASUL WHITE

# Further trade names

Ca 6 [Al(OH) 6 ] 2 (SO 4 ) 3 x 26 H 2 O, Ettringite (Aqueous suspension) CASUL  $\circledast$ 

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Coatings and paints, fillers, putties, thinners, building additive.

#### Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	REMONDIS Production GmbH Geschäftsfeld CASUL	
Street:	Brunnenstraße 138	
Place:	D-44536 Lünen	
Telephone:	+49 (0) 2306-106-0	Telefax: +49 (0) 2306-106-228
Responsible Department:	Dr. Gans-Eichler Chemieberatung GmbH Raesfeldstr. 22 D-48149 Münster	e-mail: info@tge-consult.de Tel.: +49(0)251/394868-69 www.tge-consult.de
1.4. Emergency telephone number:	Poison Center Berlin - phone: +49	(0) 30-30686 700

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

# Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

The product does not contain dangerous substances according to REGULATION (EU) No. 2015/830, Annex II, Part

A , 3.2.2. that must be mentioned in Chapter 3.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)			<=100 %
	234-448-5		01-2119589249-21	

Full text of H and EUH statements: see section 16.

## **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

## After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

none

#### 5.3. Advice for firefighters

The product itself does not burn. In case of fire: Wear self-contained breathing apparatus.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Wear suitable protective clothing. Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

#### Advice on safe handling

Wear personal protection equipment (refer to section 8).

#### Advice on protection against fire and explosion

Usual measures for fire prevention. The product itself does not burn.

# Further information on handling

Avoid generation of dust. General protection and hygiene measures: refer to chapter 8

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Radioactive substances. Infectious substances.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 20°C Protect against: frost. UV-radiation/sunlight. heat. Humidity

#### 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)			
Worker , long-terr	m	inhalation	systemic	10 mg/m <sup>3</sup>
Worker , acute		inhalation	systemic	10 mg/m <sup>3</sup>
Worker , long-term		inhalation	local	10 mg/m <sup>3</sup>
Consumer , long-term		inhalation	systemic	5 mg/m³
Consumer, acute	9	inhalation	systemic	5 mg/m³
Consumer , long-term		oral	systemic	15,2 mg/kg bw/day
Consumer, acute		oral	systemic	114 mg/kg bw/day

# **PNEC** values

CAS No	Substance		
Environmental compartment Value			
12004-14-7 Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)			
Freshwater 0,0068 mg/l			
Marine water 0,00068 mg/l		0,00068 mg/l	
Micro-organisms in sewage treatment plants (STP) 61,3 mg/l			

#### Additional advice on limit values

The biological and toxicological effects of dry CASUL are determined by the gypsum content. All previous tests, which allow comparability, show 100% matching results. In addition to the general dust limits, the OEL for calcium sulfate according to TRGS 900 is also included. However, CASUL ® comes in the delivery state as an aqueous suspension - for which there is no OEL.

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Dust should be exhausted directly at the point of origin.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

# Eye/face protection

Dust protection goggles.

#### Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: Exceeding exposure limit values Generation/formation of dust Suitable respiratory protection apparatus: Particle filter device (DIN EN 143) - Type: P1-3 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Environmental exposure controls

No special precautionary measures are necessary.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical p				
Physical state: Colour:	liquid,Suspension white			
Odour:	characteristic			
	CITALACIENSIIC			Test method
pH-Value (at 20 °C):		~11 (0,62g/L)		rest method
Changes in the physical state				
Melting point:			<0 °C	
Initial boiling point and boiling range:			>=100 °C	
Sublimation point:		not determined		
Softening point:		not determined		
Pour point:		not determined		
Flash point:		not determined		
Sustaining combustion:		Not sustaining combustion		
Explosive properties				
Dust clouds may present an explosion hazard.				
Lower explosion limits:		not determined		
Upper explosion limits:		not determined		
Ignition temperature:		not determined		
Auto-ignition temperature				
Gas:		not determined		
Decomposition temperature:			>100 /850 °C	
Oxidizing properties				
none				
Vapour pressure:		not determined		
Density:			1,4 g/cm <sup>3</sup>	OECD 109
Bulk density:		not determined		
Water solubility: (at 20 °C)			0,62 g/L	
Solubility in other solvents				
not determined				
Partition coefficient:		not determined		
Viscosity / dynamic:		not determined		
Viscosity / kinematic:		not determined		
Flow time:		not applicable		
Vapour density:		not applicable		
Evaporation rate:		not applicable		
Solvent separation test:		not applicable		
Solvent content:		not determined		
9.2. Other information				
Solid content:		not determined		

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

none

# 10.4. Conditions to avoid

none

10.5. Incompatible materials

none

10.6. Hazardous decomposition products none

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

# Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)				
	oral	LD50	>2000 mg/kg	Rat.	ECHA Dossier
	dermal	LD50	>2000 mg/kg	Rat.	ECHA Dossier
	inhalation (4 h) aerosol	LC50	>3,26 mg/l	Rat.	ECHA Dossier

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-): Reproductive toxicity: Method: OECD 422. Species: Rat. Exposure duration: 4 d. Results: NOAEL 790 mg/Kg bw/day

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	
12004-14-7	Hexacalcium hexaoxotris[sulphato(2-)]dialuminate(12-)						
	Acute fish toxicity	LC50			Brachydanio rerio (zebra-fish)	ECHA Dossier	
	Acute algae toxicity	ErC50			Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	6,8 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Acute bacteria toxicity	(>100 mg/l)		3 h	Activated sludge	ECHA Dossier	

12.2. Persistence and degradability

Hydrolyses to form water-insoluble compounds. The product has not been tested.

#### 12.3. Bioaccumulative potential

Hydrolyses to form water-insoluble compounds. No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

# Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be

carried out in a specific way for every industry and process Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

160304

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

#### List of Wastes Code - used product

160304

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

# List of Wastes Code - contaminated packaging

150106

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

## 14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

Marine pollutant:

# Air transport (ICAO-TI/IATA-DGR) 14.1. UN number:

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. NO

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not relevant			
<b>14.6. Special precautions for user</b> Refer to section 6-8			
14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS:	no		
14.3. Transport hazard class(es): 14.4. Packing group:	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.		

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

 2010/75/EU (VOC):
 No information available.

 2004/42/EC (VOC):
 No information available.

 Information according to 2012/18/EU (SEVESO III):
 Not subject to 2012/18/EU (SEVESO III)

#### Additional information

The substance is not classified as hazardous according to Regulation (EC) 1272/2008 [GHS]. REACH 1907/2006 Appendix XVII: not relevant

# National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

# 15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Changes Rev. 1.0; 08.05.2017 Initial release. Rev. 2,0; 20.11.2019, Changes in chapter: 2-16. Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: day(s) EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )
REACH: Registration, Evaluation, Authorisation of Chemicals
SVHC: substance of very high concern
TRGS Technische Regeln fuer Gefahrstoffe
UN: United Nations
VOC: Volatile Organic Compounds
VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe
WGK: Wassergefaehrdungsklasse

# Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure: Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)